

Air-Operated Hydraulic Pump



Product Features:

- Portable, lightweight
- Horizontal or vertical operation
- Powers all single action HKP workheads
- Operates on maximum 150 PSI line pressure
- Air & hydraulic inlet filters reduce potential damage from contamination
- Reduced noise
- Pressure levels set for safe use with all H.K. Porter® cutting tools
- Cutterhead assemblies must be ordered separately
- Valve function: Advance-Hold-Retract
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!

1.5hp, 115v, 60Hz Two Speed Industrial Duty Electric Pump



Product Features:

- Powerful industrial duty pump
- Ideal for cutting applications where load holding is not required
- Pump is normally used with single-acting cylinders
- Motor is on only during the cutting cycle

- When the motor is shut off, all pressure is dumped to the tank
- Fully enclosed fan-cooled motors. Use in all indoor/outdoor environments
- 2 speed pump design, 1st stage flow of 3GPM to 800 PSI shortens cycles
- Pressure levels set for safe use with all H.K. Porter® cutting tools
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!

HKE500 Series, 5-HP Power Pack Only - Operation of One Workhead

Product Features:

- 5 HP TEFC motor for dependable operation, low voltage (24 VAC)
- Lightweight design, rugged construction
- 2-stage pump delivers low pressure for rapid advance of piston
- Pump shifts to high pressure under load. Large, 2.5 gallon reservoir
- Internal relief valve protects system components from overload
- Internal filter protects system from contamination of hydraulic oil
- Control option A: Push-button control handle attached to workhead W10824
- Control option B: Heavy-duty foot switch W32368
- Control option C: Hand-held, control switch W36048
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!

HKE500 Series, 5-HP Power Pack Only - Operation of Two Workheads

Product Features:

- 5 HP TEFC motor for dependable operation, low voltage (24 VAC)
- Lightweight design, rugged construction
- 2-stage pump delivers low pressure for rapid advance of piston
- Pump shifts to high pressure under load. Large, 2.5 gallon reservoir
- Internal relief valve protects system components from overload
- Internal filter protects system from contamination of hydraulic oil
- Control option A: Push-button control handle attached to workhead W10824
- Control option B: Heavy-duty foot switch W32368
- Control option C: Hand-held, control switch W36048
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!

1.5hp, 230v, 3ph, Single Valve Pump for Electrically-Driven Power Packs

Product Features:

- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!

Two Speed Hand Hydraulic Pump



Product Features:

- Two speed operation reduces handle strokes by 78% in some cases
- Durable glass filled nylon reservoir resists corrosion
- Internal pressure relief valves to protect hydraulic systems
- Non-conductive fiberglass handle locks for easy carrying
- Reduced handle effort
- Pressure levels set for safe use with all H.K. Porter® cutting tools
- NEVER use any H.K. Porter cutters on energized circuits, wire, or cable!